


wherein X is selected from the group consisting of O and S;

wherein A₁ and A₂ are individually selected from the group consisting of O, S and NH;

wherein G₁ and G₃ are C₁₋₄ alkyl chains;

wherein G₅ is a C₀₋₄ alkyl chain;

wherein G₂ is selected from the group consisting of:



wherein A₃ and A₄ are individually selected from the group consisting of O, N, and S,

wherein the valencies of each O, N, or S are adjusted by adding a H if needed;


wherein G₄ is a C₅₋₈ aryl, a C₅₋₈ arylsulfonylamino, or an C₅₋₈ arylamino; and

wherein G₆ and G₇ are individually selected from the group consisting of H, F, Cl, I, Br and a C₁₋₄ alkyl.

B2 4. (Amended) The compound of claim 1, wherein A₁ is NH.


B3 6. (Amended) The compound of claim 1, wherein A₂ is NH.

16. (Amended) The compound of claim 1, wherein G_2 is represented by the formula:



wherein A_3 is selected from the group consisting of O, S and N and A_4 is N and wherein the valencies of each O, N, or S are adjusted by adding a H if needed.


27. (Amended) The compound of claim 1 further represented by the formula:



wherein X is selected from the group consisting of O and S;

G_1 and G_3 are C_{1-4} alkyl chains;

G_2 is selected from the group consisting of:



wherein A₃ and A₄ are individually selected from the group consisting of O, N, and S, wherein the valencies of each O, N, or S are adjusted by adding a H and G₈ is a C₁₋₄ alkyl chain;

wherein G₄ is a C₅₋₈ aryl, a C₅₋₈ arylsulfonylamino, or a C₅₋₈ arylamino; and

wherein G₆ and G₇ are individually selected from the group consisting of H, F, Cl, I, Br and a C₁₋₄ alkyl.

28. (Amended) The compound of claim 27, wherein X is S.

29. (Amended) The compound of claim 27, wherein X is O.

30. (Amended) The compound of claim 27, wherein G₁ is a C₁ alkyl.


31. (Amended.) The compound of claim 27, wherein G₁ is a C₂ alkyl.

32. (Amended) The compound of claim 27, wherein G₃ is a C₁ alkyl.

33. (Amended) The compound of claim 27, wherein G₃ is a C₂ alkyl.

34. (Amended) The compound of claim 27, wherein G₂ is represented by the formula:

B5
Centd



wherein A₃ is selected from the group consisting of O, S and N and A₄ is N, wherein the valencies of each O, N, or S are adjusted by adding a H if needed.

36. (Amended) The compound of claim 27, wherein -N-G₂ forms a guanidino containing moiety.

37. (Amended) The compound of claim 27, wherein -N-G₂ forms a urea containing moiety.

40. (Amended) The compound of claim 27, wherein G₄ is phenylsulfonylamino.

41. (Amended) The compound of claim 27, wherein G₄ is phenyl.

74. (Amended) A combination useful for the treatment of cancer comprising at least one compound of claim 1 and at least one other anticancer agent or antiangiogenic agent.

75. (Amended) A combination useful for the treatment of cancer comprising at least one compound of claim 1 and at least one other anticancer agent selected from